

STIC Biotechnology Systems Branch

RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/893,878 B
Source: IPW16
Date Processed by STIC: 4-21-05

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 4.2.2 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<http://www.uspto.gov/ebc/efs/downloads/documents.htm>) , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):
U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/24/05

no



IFW16

RAW SEQUENCE LISTING

DATE: 04/21/2005

PATENT APPLICATION: US/09/893,878B

TIME: 12:10:18

Input Set : A:\D061770002US10sequence%20listing.txt

Output Set: N:\CRF4\04212005\I893878B.raw

3 <110> APPLICANT: Ladner, Robert Charles
 4 Guterman, Sonia Kosow
 5 Roberts, Bruce Lindsay
 6 Markland, William
 7 Ley, Arthur Charles
 8 Kent, Rachel Baribault
 10 <120> TITLE OF INVENTION: DIRECTED EVOLUTION OF NOVEL BINDING PROTEINS
 12 <130> FILE REFERENCE: D0617.70002US10
 14 <140> CURRENT APPLICATION NUMBER: 09/893,878B
 15 <141> CURRENT FILING DATE: 2001-06-29
 17 <150> PRIOR APPLICATION NUMBER: 08/993,776
 18 <151> PRIOR FILING DATE: 1997-12-18
 20 <150> PRIOR APPLICATION NUMBER: 08/415,922
 21 <151> PRIOR FILING DATE: 1995-04-03
 23 <150> PRIOR APPLICATION NUMBER: 08/009,319
 24 <151> PRIOR FILING DATE: 1993-01-26
 26 <150> PRIOR APPLICATION NUMBER: 07/664,989
 27 <151> PRIOR FILING DATE: 1991-03-01
 29 <150> PRIOR APPLICATION NUMBER: 07/487,063
 30 <151> PRIOR FILING DATE: 1990-03-02
 32 <150> PRIOR APPLICATION NUMBER: 07/240,160
 33 <151> PRIOR FILING DATE: 1988-09-02
 35 <160> NUMBER OF SEQ ID NOS: 304
 37 <170> SOFTWARE: PatentIn version 3.3
 39 <210> SEQ ID NO: 1
 40 <211> LENGTH: 28
 41 <212> TYPE: PRT
 42 <213> ORGANISM: Artificial sequence
 44 <220> FEATURE:
 45 <223> OTHER INFORMATION: synthetic peptide
 47 <220> FEATURE:
 48 <221> NAME/KEY: misc_feature
 49 <222> LOCATION: (2)..(2)
 50 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
 52 <220> FEATURE:
 53 <221> NAME/KEY: misc_feature
 54 <222> LOCATION: (4)..(5)
 55 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
 57 <220> FEATURE:
 58 <221> NAME/KEY: misc_feature
 59 <222> LOCATION: (7)..(9)
 60 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
 62 <220> FEATURE:

(ps.6-7)
 Does Not Comply
 Corrected Diskette Needed
 (pg.3-4) ↩

RAW SEQUENCE LISTING

DATE: 04/21/2005

PATENT APPLICATION: US/09/893,878B

TIME: 12:10:18

Input Set : A:\D061770002US10sequence%20listing.txt

Output Set: N:\CRF4\04212005\I893878B.raw

```

63 <221> NAME/KEY: misc_feature
64 <222> LOCATION: (11)..(15)
65 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
67 <220> FEATURE:
68 <221> NAME/KEY: misc_feature
69 <222> LOCATION: (17)..(18)
70 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
72 <220> FEATURE:
73 <221> NAME/KEY: misc_feature
74 <222> LOCATION: (20)..(22)
75 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
77 <220> FEATURE:
78 <221> NAME/KEY: misc_feature
79 <222> LOCATION: (24)..(28)
80 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
82 <400> SEQUENCE: 1
W--> 84 Phe Xaa Cys Xaa Xaa Cys Xaa Xaa Xaa Phe Xaa Xaa Xaa Xaa Xaa Leu
      85 1           5           10           15
      88 Xaa Xaa His Xaa Xaa Xaa His Xaa Xaa Xaa Xaa Xaa
      89           20           25
92 <210> SEQ ID NO: 2
93 <211> LENGTH: 28
94 <212> TYPE: PRT
95 <213> ORGANISM: Artificial sequence
97 <220> FEATURE:
98 <223> OTHER INFORMATION: synthetic peptide
101 <220> FEATURE:
102 <221> NAME/KEY: misc_feature
103 <222> LOCATION: (2)..(2)
104 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
106 <220> FEATURE:
107 <221> NAME/KEY: misc_feature
108 <222> LOCATION: (4)..(5)
109 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
111 <220> FEATURE:
112 <221> NAME/KEY: misc_feature
113 <222> LOCATION: (7)..(9)
114 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
116 <220> FEATURE:
117 <221> NAME/KEY: misc_feature
118 <222> LOCATION: (11)..(15)
119 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
121 <220> FEATURE:
122 <221> NAME/KEY: misc_feature
123 <222> LOCATION: (17)..(18)
124 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
126 <220> FEATURE:
127 <221> NAME/KEY: misc_feature
128 <222> LOCATION: (20)..(22)

```

RAW SEQUENCE LISTING

DATE: 04/21/2005

PATENT APPLICATION: US/09/893,878B

TIME: 12:10:18

Input Set : A:\D061770002US10sequence%20listing.txt

Output Set: N:\CRF4\04212005\I893878B.raw

129 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
 131 <220> FEATURE:
 132 <221> NAME/KEY: misc_feature
 133 <222> LOCATION: (24)..(28)
 134 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
 136 <400> SEQUENCE: 2
 W--> 138 Tyr Xaa Cys Xaa Xaa Cys Xaa Xaa Xaa Phe Xaa Xaa Xaa Xaa Xaa Leu
 139 1 5 10 15
 142 Xaa Xaa His Xaa Xaa Xaa His Xaa Xaa Xaa Xaa Xaa
 143 20 25
 146 <210> SEQ ID NO: 3
 147 <211> LENGTH: 29
 148 <212> TYPE: PRT
 149 <213> ORGANISM: Artificial sequence
 151 <220> FEATURE:
 152 <223> OTHER INFORMATION: synthetic peptide
 155 <220> FEATURE:
 156 <221> NAME/KEY: misc_feature
 157 <222> LOCATION: (2)..(2)
 158 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
 160 <220> FEATURE:
 161 <221> NAME/KEY: misc_feature
 162 <222> LOCATION: (4)..(6)
 163 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
 165 <220> FEATURE:
 166 <221> NAME/KEY: misc_feature
 167 <222> LOCATION: (8)..(10)
 168 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
 170 <220> FEATURE:
 171 <221> NAME/KEY: misc_feature
 172 <222> LOCATION: (12)..(16)
 173 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
 175 <220> FEATURE:
 176 <221> NAME/KEY: misc_feature
 177 <222> LOCATION: (18)..(19)
 178 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
 180 <220> FEATURE:
 181 <221> NAME/KEY: misc_feature
 182 <222> LOCATION: (21)..(23)
 183 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
 185 <220> FEATURE:
 186 <221> NAME/KEY: ~~misc_feature~~ His is at this location. See
 187 <222> LOCATION: (24)..(28) ~~ernon~~
 188 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid explanation
 190 <220> FEATURE:
 191 <221> NAME/KEY: misc_feature
 192 <222> LOCATION: (29)..(29)
 193 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
 195 <400> SEQUENCE: 3

on p. 4.

RAW SEQUENCE LISTING

DATE: 04/21/2005

PATENT APPLICATION: US/09/893,878B

TIME: 12:10:18

Input Set : A:\D061770002US10sequence%20listing.txt

Output Set: N:\CRF4\04212005\I893878B.raw

W--> 197 Phe Xaa Cys Xaa Xaa Xaa Cys Xaa Xaa Xaa Phe Xaa Xaa Xaa Xaa Xaa
 198 1 5 10 15
 201 Leu Xaa Xaa His Xaa Xaa Xaa His Xaa Xaa Xaa Xaa Xaa
 202 20 25
 205 <210> SEQ ID NO: 4
 206 <211> LENGTH: 29
 207 <212> TYPE: PRT
 208 <213> ORGANISM: Artificial sequence
 210 <220> FEATURE:
 211 <223> OTHER INFORMATION: synthetic peptide
 214 <220> FEATURE:
 215 <221> NAME/KEY: misc_feature
 216 <222> LOCATION: (2)..(2)
 217 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
 219 <220> FEATURE:
 220 <221> NAME/KEY: misc_feature
 221 <222> LOCATION: (4)..(6)
 222 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
 224 <220> FEATURE:
 225 <221> NAME/KEY: misc_feature
 226 <222> LOCATION: (8)..(10)
 227 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
 229 <220> FEATURE:
 230 <221> NAME/KEY: misc_feature
 231 <222> LOCATION: (12)..(16)
 232 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
 234 <220> FEATURE:
 235 <221> NAME/KEY: misc_feature
 236 <222> LOCATION: (18)..(19)
 237 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
 239 <220> FEATURE:
 240 <221> NAME/KEY: misc_feature
 241 <222> LOCATION: (21)..(23)
 242 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
 244 <220> FEATURE:
 245 <221> NAME/KEY: misc_feature
 246 <222> LOCATION: (25)..(29)
 247 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
 249 <400> SEQUENCE: 4
 W--> 251 Tyr Xaa Cys Xaa Xaa Xaa Cys Xaa Xaa Xaa Phe Xaa Xaa Xaa Xaa Xaa
 252 1 5 10 15
 255 Leu Xaa Xaa His Xaa Xaa Xaa His Xaa Xaa Xaa Xaa Xaa
 256 20 25
 259 <210> SEQ ID NO: 5
 260 <211> LENGTH: 30
 261 <212> TYPE: PRT
 262 <213> ORGANISM: Artificial sequence
 264 <220> FEATURE:
 265 <223> OTHER INFORMATION: synthetic peptide

There is no 'Xaa' at this location.

The type of errors shown exist throughout the Sequence Listing. Please check subsequent sequences for similar errors.

RAW SEQUENCE LISTING

DATE: 04/21/2005

PATENT APPLICATION: US/09/893,878B

TIME: 12:10:18

Input Set : A:\D061770002US10sequence%20listing.txt

Output Set: N:\CRF4\04212005\I893878B.raw

```

268 <220> FEATURE:
269 <221> NAME/KEY: misc_feature
270 <222> LOCATION: (2)..(2)
271 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
273 <220> FEATURE:
274 <221> NAME/KEY: misc_feature
275 <222> LOCATION: (4)..(7)
276 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
278 <220> FEATURE:
279 <221> NAME/KEY: misc_feature
280 <222> LOCATION: (9)..(11)
281 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
283 <220> FEATURE:
284 <221> NAME/KEY: misc_feature
285 <222> LOCATION: (13)..(17)
286 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
288 <220> FEATURE:
289 <221> NAME/KEY: misc_feature
290 <222> LOCATION: (13)..(17)
291 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
293 <220> FEATURE:
294 <221> NAME/KEY: misc_feature
295 <222> LOCATION: (19)..(20)
296 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
298 <220> FEATURE:
299 <221> NAME/KEY: misc_feature
300 <222> LOCATION: (22)..(24)
301 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
303 <220> FEATURE:
304 <221> NAME/KEY: misc_feature
305 <222> LOCATION: (26)..(30)
306 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
308 <400> SEQUENCE: 5
W--> 310 Phe Xaa Cys Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Phe Xaa Xaa Xaa Xaa
      311 1           5           10           15
314 Xaa Leu Xaa Xaa His Xaa Xaa Xaa His Xaa Xaa Xaa Xaa Xaa
      315           20           25           30
318 <210> SEQ ID NO: 6
319 <211> LENGTH: 30
320 <212> TYPE: PRT
321 <213> ORGANISM: Artificial sequence
323 <220> FEATURE:
324 <223> OTHER INFORMATION: synthetic peptide
327 <220> FEATURE:
328 <221> NAME/KEY: misc_feature
329 <222> LOCATION: (2)..(2)
330 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
332 <220> FEATURE:
333 <221> NAME/KEY: misc_feature

```

RAW SEQUENCE LISTING ERROR SUMMARY
 PATENT APPLICATION: US/09/893,878B

DATE: 04/21/2005
 TIME: 12:10:19

Input Set : A:\D061770002US10sequence%20listing.txt
 Output Set: N:\CRF4\04212005\I893878B.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 2,4,5,6,7,8,9,11,12,13,14,15,17,18,20,21,22,24,25,26,27,28
 Seq#:2; Xaa Pos. 2,4,5,6,7,8,9,11,12,13,14,15,17,18,20,21,22,24,25,26,27,28
 Seq#:3; Xaa Pos. 2,4,5,6,7,8,9,10,12,13,14,15,16,18,19,21,22,23,25,26,27,28
 Seq#:3; Xaa Pos. 29
 Seq#:4; Xaa Pos. 2,4,5,6,7,8,9,10,12,13,14,15,16,18,19,21,22,23,25,26,27,28
 Seq#:4; Xaa Pos. 29
 Seq#:5; Xaa Pos. 2,4,5,6,7,8,9,10,11,13,14,15,16,17,18,20,22,23,24,26,27,28
 Seq#:5; Xaa Pos. 29,30
 Seq#:6; Xaa Pos. 2,4,5,6,7,9,10,11,13,14,15,16,17,19,20,22,23,24,26,27,28
 Seq#:6; Xaa Pos. 29,30
 Seq#:7; Xaa Pos. 1,3,4,5,6,8
 Seq#:8; Xaa Pos. 3,5,6,7,8,10
 Seq#:19; Xaa Pos. 1,2,4,5,6,7,9,10
 Seq#:20; Xaa Pos. 1,4,5,6,8,9,10,11,12
 Seq#:21; Xaa Pos. 1,2,5,6,7,9,10,11,12,13
 Seq#:22; Xaa Pos. 1,4,5,6,8,9,10,11,12,14
 Seq#:23; Xaa Pos. 1,2,5,6,7,9,10,11,12,13,15
 Seq#:24; Xaa Pos. 1,4,5,6,8,9,10,11,12,14,15
 Seq#:25; Xaa Pos. 1,2,5,6,7,9,10,11,12,13,15,16
 Seq#:26; Xaa Pos. 1,4,5,6,8,9,10,11,12,14,15,16
 Seq#:27; Xaa Pos. 1,2,5,6,7,9,10,11,12,13,15,16,17
 Seq#:28; Xaa Pos. 1,4,5,6,8,9,10,11,12,14,15,16,17
 Seq#:29; Xaa Pos. 1,2,5,6,7,9,10,11,12,13,15,16,17,18
 Seq#:30; Xaa Pos. 1,4,5,6,8,9,10,11,12,14,15,16,17,18
 Seq#:31; Xaa Pos. 1,2,5,6,7,9,10,11,12,13,15,16,17,18,19
 Seq#:32; Xaa Pos. 1,2,5,6,7,8,9,11,12,13,14,16,17,18,19,22
 Seq#:34; Xaa Pos. 2,3,4,5,6,7,9,10,11,12,13,14,17,18,20,21,22,23
 Seq#:35; Xaa Pos. 2,3,4,5,6,7,9,10,11,12,13,14,17,18,20,21,22,23,24
 Seq#:36; Xaa Pos. 2,3,4,5,6,7,9,10,11,12,13,14,17,18,20,21,22,23,24,25
 Seq#:37; Xaa Pos. 2,3,4,5,6,7,9,10,11,12,13,14,17,18,19,21,22,23,24
 Seq#:38; Xaa Pos. 2,3,4,5,6,7,9,10,11,12,13,14,17,18,19,21,22,23,24,25
 Seq#:39; Xaa Pos. 2,3,4,5,6,7,9,10,11,12,13,14,17,18,19,21,22,23,24,25,26
 Seq#:40; Xaa Pos. 5,6,7,8,9,10
 Seq#:41; Xaa Pos. 5,6,7,8,9,10
 Seq#:42; Xaa Pos. 4,6,7,8,9,10,11
 Seq#:88; N Pos. 4,5,6,7,8
 Seq#:106; N Pos. 6,9,12,15,18,21,24,27,30,33,36,39,42,45,48,51,54,60,63,66
 Seq#:106; N Pos. 69,72,75,78,81,84,87,90,93,96,99,102,105,108,111,114,117
 Seq#:106; N Pos. 120,123,126,129,132,135,138,141,144,147,150,153,156,159
 Seq#:106; N Pos. 162,165,168,171,174,177,180,183,186,189,192,195,198,201
 Seq#:106; N Pos. 204,207,210,213,216,219,222,228,231,234,237,240,243,246
 Seq#:106; N Pos. 249,252,255,258,261,264,267,270,273,276,279,282,285,288
 Seq#:106; N Pos. 291,294,297,300,303,306,309,312,315,318,324,330,333,336
 Seq#:106; N Pos. 339,342,345,348,351,354,357,360,363,366,369,372,375,378

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/09/893,878B

DATE: 04/21/2005
TIME: 12:10:19

Input Set : A:\D061770002US10sequence%20listing.txt
Output Set: N:\CRF4\04212005\I893878B.raw

Seq#:106; N Pos. 381,384,387,390,393,396,399,402
Seq#:107; N Pos. 6,9,12,15,18,21,24,27,30,33,36,39,42,45,48,51,54,60,63,66
Seq#:107; N Pos. 69,72,75,78,81,84,87,90,93,96,99,102,105,108,111,114,117
Seq#:107; N Pos. 120,123,126,129,132,135,138,141,144,147,150,153,156,159
Seq#:107; N Pos. 162,165,168,171,174,177,180,183,186,189,192,195,198,201
Seq#:107; N Pos. 204,207,210,213,216,219,222,228,231,234,237,240,243,246
Seq#:107; N Pos. 249,252,255,258,261,264,267,270,273,276,279,282,285,288

Invalid Line Length

The rules require that a line not exceed 72 characters in length. This includes spaces.

Seq#:183; Line(s) 6450,6475,6482

VERIFICATION SUMMARY

DATE: 04/21/2005

PATENT APPLICATION: US/09/893,878B

TIME: 12:10:19

Input Set : A:\D061770002US10sequence%20listing.txt

Output Set: N:\CRF4\04212005\I893878B.raw

L:84 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
M:341 Repeated in SeqNo=1
L:138 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
M:341 Repeated in SeqNo=2
L:197 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
M:341 Repeated in SeqNo=3
L:251 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
M:341 Repeated in SeqNo=4
L:310 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
M:341 Repeated in SeqNo=5
L:364 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
M:341 Repeated in SeqNo=6
L:398 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
L:428 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L:598 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0
L:628 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20 after pos.:0
L:658 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:0
L:693 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0
L:728 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23 after pos.:0
L:763 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0
L:798 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25 after pos.:0
L:833 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:0
L:873 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:0
M:341 Repeated in SeqNo=27
L:912 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0
M:341 Repeated in SeqNo=28
L:951 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29 after pos.:0
M:341 Repeated in SeqNo=29
L:995 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:0
M:341 Repeated in SeqNo=30
L:1034 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31 after pos.:0
M:341 Repeated in SeqNo=31
L:1078 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:32 after pos.:0
M:341 Repeated in SeqNo=32
L:1140 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34 after pos.:0
M:341 Repeated in SeqNo=34
L:1179 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:35 after pos.:0
M:341 Repeated in SeqNo=35
L:1218 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:36 after pos.:0
M:341 Repeated in SeqNo=36
L:1257 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:37 after pos.:0
M:341 Repeated in SeqNo=37
L:1296 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:38 after pos.:0
M:341 Repeated in SeqNo=38
L:1335 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:39 after pos.:0
M:341 Repeated in SeqNo=39
L:1359 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:40 after pos.:0
L:1378 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:41 after pos.:0

VERIFICATION SUMMARY

DATE: 04/21/2005

PATENT APPLICATION: US/09/893,878B

TIME: 12:10:19

Input Set : A:\D061770002US10sequence%20listing.txt

Output Set: N:\CRF4\04212005\I893878B.raw

L:1403 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:42 after pos.:0

L:2568 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:88 after pos.:0